

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3044119/>

## Spermidine and resveratrol induce autophagy by distinct pathways converging on the acetylproteome

Eugenia Morselli,<sup>1,2,4</sup> Guillermo Mariño,<sup>1,2,4</sup> Martin V. Bennetzen,<sup>5</sup> Tobias Eisenberg,<sup>6</sup> Evgenia Megalou,<sup>7</sup> Sabrina Schroeder,<sup>6</sup> Sandra Cabrera,<sup>8</sup> Paule Bénit,<sup>9</sup> Pierre Rustin,<sup>9</sup> Alfredo Criollo,<sup>1,2,4</sup> Oliver Kepp,<sup>1,2,4</sup> Lorenzo Galluzzi,<sup>1,2,4</sup> Shensi Shen,<sup>1,2,4</sup> Shoaib Ahmad Malik,<sup>1,2,4</sup> Maria Chiara Maiuri,<sup>1,2,4</sup> Yoshiyuki Horio,<sup>10</sup> Carlos López-Otín,<sup>8</sup> Jens S. Andersen,<sup>5</sup> Nektarios Tavernarakis,<sup>7</sup> Frank Madeo,<sup>6</sup> and Guido Kroemer<sup>1,2,3,11,12,13</sup>

JCB: Article

## Spermidine and resveratrol induce autophagy by distinct pathways converging on the acetylproteome

Eugenia Morselli,<sup>1,2,4</sup> Guillermo Mariño,<sup>1,2,4</sup> Martin V. Bennetzen,<sup>5</sup> Tobias Eisenberg,<sup>6</sup> Evgenia Megalou,<sup>7</sup> Sabrina Schroeder,<sup>6</sup> Sandra Cabrera,<sup>8</sup> Paule Bénit,<sup>9</sup> Pierre Rustin,<sup>9</sup> Alfredo Criollo,<sup>1,2,4</sup> Oliver Kepp,<sup>1,2,4</sup> Lorenzo Galluzzi,<sup>1,2,4</sup> Shensi Shen,<sup>1,2,4</sup> Shoaib Ahmad Malik,<sup>1,2,4</sup> Maria Chiara Maiuri,<sup>1,2,4</sup> Yoshiyuki Horio,<sup>10</sup> Carlos López-Otín,<sup>8</sup> Jens S. Andersen,<sup>5</sup> Nektarios Tavernarakis,<sup>7</sup> Frank Madeo,<sup>6</sup> and Guido Kroemer<sup>1,2,3,11,12,13</sup>

<sup>1</sup>Institut National de la Santé et de la Recherche Médicale U848, F-94805 Villejuif, France

<sup>2</sup>Laboratory of Apoptosis, Immunity, and Cancer and <sup>3</sup>Metabolomics Platform, Institut Gustave Roussy, F-94805 Villejuif, France

<sup>4</sup>Université Paris Sud, Paris 11, F-914805 Villejuif, France

<sup>5</sup>Center for Experimental Bioinformatics, Department of Biochemistry and Molecular Biology, University of Southern Denmark, DK-5230 Odense M, Denmark

<sup>6</sup>Institute of Molecular Biosciences, University of Graz, A-8010 Graz, Austria

<sup>7</sup>Institute of Molecular Biology and Biotechnology, Foundation for Research and Technology-Hellas, I-70013 Heraklion, Greece

<sup>8</sup>Departamento de Bioquímica y Biología Molecular, Facultad de Medicina, Instituto Universitario de Oncología, Universidad de Oviedo, E-33006 Oviedo, Spain

<sup>9</sup>Institut National de la Santé et de la Recherche Médicale U676, F-75019 Paris, France

<sup>10</sup>Department of Pharmacology, Sapporo Medical University, J060-8550 Sapporo, Japan

<sup>11</sup>Centre de Recherche des Cordeliers, F-75005 Paris, Cedex 06, France

<sup>12</sup>Pôle de Biologie, Hôpital Européen Georges Pompidou, Assistance Publique-Hôpitaux de Paris, F-75908 Paris, Cedex 15, France

<sup>13</sup>Université Paris Descartes, Paris 5, F-75270 Paris, Cedex 06, France

**A**utophagy protects organelles, cells, and organisms against several stress conditions. Induction of autophagy by resveratrol requires the nicotinamide adenine dinucleotide-dependent deacetylase sirtuin 1 (SIRT1). In this paper, we show that the acetylase inhibitor spermidine stimulates autophagy independent of SIRT1 in human and yeast cells as well as in nematodes. Although resveratrol and spermidine ignite autophagy through distinct mechanisms, these compounds stimulate convergent pathways that culminate in concordant modifications of the acetylproteome. Both agents favor convergent deacetylation and acetylation

reactions in the cytosol and in the nucleus, respectively. Both resveratrol and spermidine were able to induce autophagy in cytoplasts (enucleated cells). Moreover, a cytoplasm-restricted mutant of SIRT1 could stimulate autophagy, suggesting that cytoplasmic deacetylation reactions dictate the autophagic cascade. At doses at which neither resveratrol nor spermidine stimulated autophagy alone, these agents synergistically induced autophagy. Altogether, these data underscore the importance of an autophagy regulatory network of antagonistic deacetylases and acetylases that can be pharmacologically manipulated.